

http://www.samaterials.com

Stanford Advanced Materials

We not only sell products, we provide satisfactions. 72 Fairbanks Suite 100, Irvine, CA 92618, USA Tel: (949) 407-8904 Fax: (949) 812-6690

> Current Version: 2.0 Revision Date: Sep 5, 2012

Material Safety Data Sheet

Identity: Indium Telluride

Formula: In2Te3

SECTION I - GENERAL INFORMATION

Manufacturer: <u>Stanford Advanced Materials</u> (SAM)

The information below is believed to be accurate and represents the best information available to SAM. However, SAM makes no warranty, expressed or implied with respect to such information and assumes no liability resulting from its use.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Molecular weight: 612.44

 CAS #
 OSHA PEL
 ACGIH TLV
 %

 1312-45-4
 .1 mg(Te)/m3
 .1 mg(Te)/m3

SECTION III – PHYSICAL/CHEMICAL CHARACTERISTICS

Physical States: Solid

Boiling Point: N/A Melting Point: 667.00 C (1232.6 F) Evaporation Rate: N/A Solubility in water: Insoluble Vapor Pressure (vs. air or mmHg): N/A Density: 5.78 g/cm³ Flash Point: N/A

Appearance and odor: Blue brittle pieces, no odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA:

Method Used:UnknownExplosive Limits:LEL:N/AUEL:N/AExtinguishing Media:Use suitable extinguishing agent for surrounding material and type of fire

Special Fire Fighting Procedures:

Firefighters must wear full face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. Fumes from fire are hazardous. Isolate runoff to prevent environmental pollution.

Unusual Fire and Explosion Hazards:

When heated to decomposition, indium telluride emits toxic fumes of tellurium.

SECTION V - REACTIVITY DATA



Stanford Advanced Materials

We not only sell products, we provide satisfactions. 72 Fairbanks Suite 100, Irvine, CA 92618, USA Tel: (949) 407-8904 Fax: (949) 812-6690

http://www.samaterials.com

Stability: Stable Conditions to Avoid (instability): None Incompatibility: Strong acids

Hazardous Decomposition or Byproducts: Fumes of tellurium *Hazardous Polymerization:* Will not occur *Conditions to avoid (hazardous polymerization):* None

SECTION VI - HEALTH HAZARD DATA

Routes of entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes Other?

-To the best of our knowledge the chemical, physical and toxicological properties of indium telluride have not been thoroughly investigated and recorded.

-Elemental tellurium has relatively low toxicity. It is converted in the body to dimethyl telluride which imparts a garlic-like odor to breath and sweat. Heavy exposures may, in addition, result in headache, drowsiness, metallic taste, loss of appetite, nausea, tremors, convulsions, and respiratory arrest.

Signs and Symptoms of Overexposure:

Inhalation: May cause a red, dry throat, coughing, dry mouth, sneezing, shortness of breath, garlic-like odor to breath, sweat and urine, loss of appetite, sleepiness and nausea. *Ingestion:* May cause a dry mouth, vomiting, garlic-like odor to breath and urine, loss of appetite, sleepiness and nausea. *Skin:* May cause redness, inflammation and itching. *Eye:* May cause redness, inflammation, itching and watering.

Health Hazards (Acute and Chronic):

Inhalation:

Acute: DANGER-POISON. May cause irritation and damage to the respiratory system, a dry mouth, garlic odor to breath, sweat and urine.

Chronic: May cause pneumonitis, anorexia, nausea, depression, somnolence and pulmonary fibrosis.

Ingestion:

Acute: DANGER-POISON. May cause an irritation to gastrointestinal tract, dry mouth, suppression of sweat, garlic odor to breath and urine.

Chronic: May cause anorexia, nausea, depression and somnolence.

Skin: Acute: May cause irritation and itching. Chronic: May cause dermatitis.

Eye: Acute: May cause irritation. Chronic: No chronic health effects recorded.

Target Organs: May affect the lung, heart and central nervous system.



http://www.samaterials.com

72 Fairbanks Suite 100, Irvine, CA 92618, USA Tel: (949) 407-8904 Fax: (949) 812-6690

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

Medical Conditions Aggravated by Exposure: Pre-existing skin disorders.

Emergency and First Aid Procedures:

- *Inhalation:* Remove victim to fresh air, keep warm and quiet, and give oxygen if breathing is difficult; seek medical attention
- *Ingestion:* Give 1-2 glasses of milk or water and induce vomiting, seek medical attention. Never induce vomiting or give anything by mouth to an unconscious person
- *Skin:* Remove contaminated clothing, brush material off skin, wash affected area with mild soap and water, and seek medical attention if symptoms persist
- *Eye:* Flush eyes with lukewarm water, lifting upper and lower eyelids for at least 15 minutes and seek medical attention

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken in case material is released or spilled:

Wear appropriate respiratory and protective equipment specified in section VIII. Isolate spill area, provide ventilation and extinguish sources of ignition. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for proper disposal. Take care not to raise dust.

Waste disposal method:

Dispose of in accordance with state, local, and federal regulations.

Hazard Label Information:

Store in cool, dry area and in tightly sealed container. Wash thoroughly after handling.

SECTION VIII - CONTROL MEASURES

Protective Equipment Summary (Hazard Label Information):

NIOSH approved respirator, impervious gloves, safety glasses, clothes to prevent contact.

Ventilation:

Local Exhaust: To maintain concentration at low exposure levels. Mechanical (General): Recommended.

Work/Hygienic/Maintenance Practices:

Implement engineering and work practice controls to reduce and maintain concentration of exposure at low levels. Use good housekeeping and sanitation practices. Do not use tobacco or food in work area. Wash thoroughly before eating or smoking. Do not blow dust off clothing or skin with compressed air.

Please be advised that N/A can either mean Not Applicable or No Data Has Been Established